


2/67

C.1


Lotus Europa S1 Parts Manual - Section C1 - Front Suspension - Page 2

Item	Lotus #	S1	S1A/B	S2	S2 Fed	TC	TC Fed	TCS	TCS F	LHD	RHD	Description	Change Point Notes Bulletin Reference
36C6007	36C6007	2	2									Ball Joint Assembly Upper	
36C6005	36C6005	1	1									Vertical Link R/H	
36C6006	36C6006	1	1									Vertical Link L/H	
LUFN0705	LUFN0705	2	2									Nut - Ball Joint to Vertical Link	
36C6011	36C6011	2	2									Nut - Nyloc or Stover - Damper to Wishbone (Lower)	1/2" x 20 TPI, 3/4" head
46C710	46C710	2	2									Damper and Spring Assembly	
46C6002	46C6002	2	2									Bush - Damper	
46C087	46C087	2	2									Wishbone - Top Leading L/H & Trailing R/H	Up to Chassis No. 0479
46C6001	46C6001	2	2									Bush - Anti Roll Bar Link	
LUFN0805	LUFN0805	4	4									Nut - Nyloc - Wishbone (Anti roll Bar Link and Damper to Chassis)	
A08W1609	A08W1609	4	4									Washer - Wishbone (Anti roll Bar Link and Damper to Chassis)	1/16" thick, 1" OD, 1/2" ID
46C005	46C005	2	2									Link - Anti Roll to Chassis	
36C6027	36C6027	2	2									Bush - Anti Roll Bar to Link	
46C722	46C722	1	1									Anti Roll bar	
XUFB0740	XUFB0740	2	2									Bolt - Lower Trunnion to Wishbone	2 1/2" long, 1 1/8" thread length, 7/16" x 20 TPI, 5/8" head
46C6000	46C6000	4	4									Rubber - Damper to Anti Roll Bar	
AUFN060F	AUFN060F	2	2									Nut - Damper bottom	
AUFN060H	AUFN060H	2	2									Nut - Damper to Anti Roll Bar	
36C6004	36C6004	8	8									Bush - Wishbone	
A05W1007	A05W1007	4	4									Washer - Wishbone to Ball Joint (Nut Side)	1/16" thick, 5/8" OD and 9/32" ID
46C010	46C010	2	2									Spring - Front	
36C6012	36C6012	2	2									Washer - Stub Axle to Vertical Link or 036C6034	
36C6008	36C6008	2	2									Stub Axle (Front)	
LUFN060F	LUFN060F	2	2									Nut - Steering Arm to Vertical Link	9/16" Nyloc
46C043	46C043	2	2									Wishbone - Bottom Leading	
36H6000	36H6000	1	1									Steering Arm R/H	
36H6001	36H6001	1	1									Steering Arm L/H	
XUFB0840	XUFB0840	2	2									Bolt - Damper to Wishbone (Lower)	3/4" head, 2 1/2" long, 1 1/4" long threads. 1/2" x 20 TPI
36C6031	36C6031	2	2									Sleeve - Lower Trunnion	



Lotus Europa S1 Parts Manual - Section C1 - Front Suspension - Page 4

Item	Lotus #	S1	S1A/B	S2	S2 Fed	TC	TC Fed	TCS	TCS F	LHD	RHD	Description	Change Point Notes Bulletin Reference
36C6032	36C6032	4	4									Washer - Lower Trunnion	
36C6002	36C6002	2	2									Washer - Lower Trunnion to Wishbone	
36C6030	36C6030	4	4									Seal - Lower Trunnion	
36C6000	36C6000	2	2									Plate - Damper to Anti Roll Bar	
36C6003	36C6003	2	2									Retainer - Damper to Anti Roll Bar (Lower)	
36C6029	36C6029	4	4									Washer - Lower Trunnion	
36C6001	36C6001	2	2									Retainer - Damper to Anti Roll Bar (Upper)	
36C6028	36C6028	2	2									Seal - Lower Trunnion	
46C6003	46C6003	2	2									Retainer - Damper to Anti Roll Bar (Lower)	
36C6022	36C6022	1	1									Caliper Mounting Plate L/H	
36C6021	36C6021	1	1									Caliper Mounting Plate R/H	
46C049	46C049	8	8									Bush - Wishbone	
46C088	46C088	2	2									Wishbone - Top Leading R/H & Trailing L/H	Up to Chassis No. 0479
46C092	46C092	2	2									Stud - Wishbone (Anti roll bar Link and Damper to Chassis)	9 3/16" long, 13/16" thread length each end, 1/2" x 20 TPI, 3/4" nut welded to one end
A08W1609	A08W1609	4	4									Washer - Wishbone (Anti roll Bar Link and Damper to Chassis)	1/16" thick, 1" OD, 1/2" ID
LUFN0505	LUFN0505	4	4									Nut - Nyloc - Wishbone (Anti roll Bar Link and Damper to Chassis)	1/2" x 20 TPI, 3/4" head
46C044	46C044	2	2									Wishbone - Bottom Trailing	
36C6012	36C6012	2	2									Washer - Damper to Wishbone (Lower)	
A05W1007	A05W1007	4	4									Washer - Wishbone to Ball Joint (Bolt Side)	1/16" thick, 5/8" OD and 9/32" ID
XUFB0536	XUFB0536	4	4									Bolt - Wishbone to Ball Joint	1/2" head, 2 7/32" long, 15/16" threads, 9/32" OD
36C6011	36C6011	2	2									Nut - Nyloc or Stover - Stub Axle to Vertical Link or 036C6033	1/2" x 20 TPI, 3/4" head
26G001	26G001	5	5									Road Wheel	
26G002	26G002	4	4									Hub Cap	
LUFN070F	LUFN070F	2	2									Nut - Nyloc or Stover - Lower Trunnion to Wishbone	7/16" x 20 TPI, 11/16" head
36J6009	36J6009	8	8									Bolt - Brake Disc to Front Hub	9/16"
36C6024	36C6024	8	8									Bolt - Dust Cover - Caliper Mounting Plate to Vertical Link	1/2" x 3/4" long (add 1/2" split washer)
36J6008	36J6008	2	2									Brake Disc	



Lotus Europa S1 Parts Manual - Section C1 - Front Suspension - Page 6

Item	Lotus #	S1	S1A/B	S2	S2 Fed	TC	TC Fed	TCS	TCS F	LHD	RHD	Description	Change Point Notes Bulletin Reference
36C6023	36C6023	2	2									Bolt - Dust Cover - Caliper Mounting Plate & Steering Arm to Vertical Link	9/16" x 2.25" long with 1" thread length
36C6018	36C6018	2	2									Oil Seal - Front Hub	
36C6017	36C6017	2	2									Wheel Bearing - Front Inner	
36C6014	36C6014	2	2									Front Hub	
36C6015	36C6015	8	8									Wheel Stud	Thread: 3/8-24, Knurl Dia.: .519", Length: 1.237", Shoulder Length: .455"
36C6016	36C6016	2	2									Wheel Bearing - Front Outer	
36C6009	36C6009	2	2									D Washer - Hub to Stub Axle	
W0087	W0087	2	2									Split Pin - Hub to Stub Axle	
36D6000	36D6000	4	4									Wheel Nut	Thread: 3/8-24
36C6013	36C6013	2	2									Grease Cap	
36C6010	36C6010	2	2									Castellated Nut - Hub to Stub Axle	
36J6010	36J6010	8	8									Washer - Brake Disc to Front Hub	9/16"
36C6019	36C6019	1	1									Dust Cover - R/H	
36C6020	36C6020	1	1									Dust Cover - L/H	
36C6025	36C6025	1	1									Lower Trunnion Assembly R/H	
36C6026	36C6026	1	1									Lower Trunnion Assembly L/H	
XXXX	XXXX	4	4	4	4	4	4	4	4			Bolt - Caliper to Caliper Mounting Plate	1 5/16" long, 9/16" thread length, 7/16" x 20 TPI, 5/8" head
XXXX	XXXX	4	4	4	4	4	4	4	4			Washer - Split - Caliper Bolt to Caliper	1/8" thick, 25/32" OD, 15/32" ID
LUFN050F	LUFN050F	4	4									Nut - Nyloc - Wishbone to Ball Joint	5/16" x 24 TPI, 1/2" head